

# Notice of Allowability

Application No.

10/648,031

Examiner

Surekha Vathyam

Applicant(s)

NAKAZATO, TOKIYA

Art Unit

1753

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 22 March 2007.
2. ☒ The allowed claim(s) is/are 40-73.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date N/A.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

Continuation of Substance of Interview including description of the general nature of what was discussed:  
Amendment of independent apparatus claim 60 to include a moving means, clarification of claim language in independent method claim 40 and correction of minor informalities in other claims were discussed and agreed to by Mr. Chu. Mr. Chu agreed that more-legible drawings will be submitted..

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Andrew W. Chu on 18 April 2007.

The application has been amended as follows:

In claim 40, line 3, after "area" (first occurrence) - - in a first direction - - was inserted.

In claim 40, line 3, after "a" (last occurrence), - - second - - was inserted.

In claim 40, line 4, "sample plate" was changed to - - first direction - -.

In claim 40, line 10, after "moved", - - to - - was inserted.

In claim 45, line 4, "to" was deleted.

In claim 57, line 6, "to" (second occurrence) was deleted.

In claim 60, line 3, ", being moved" was changed to - -; a moving means positioned on said housing for moving said sample plate - - was inserted.

In claim 60, line 6, "parallel" was changed to - - anti-parallel - -.

In claim 65, line 2, "meaning" was changed to - - means - -.

Art Unit: 1753

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: The drawings must be legible, have uniform line quality, and all reference characters must be at least 1/8 inch in height. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

3. The following is an examiner's statement of reasons for allowance: The closest prior art is Sarrine et al. (US 5,460,709). Regarding independent method claim 40, Sarrine ('709) fails to disclose or render obvious the step of moving the sample plate in a first direction from a storage area and moving a gel plate in a second direction opposite said first direction, to an application station, in combination with the remaining limitations of the claim. Regarding independent apparatus claim 60 Sarrine ('709) fails to disclose or render obvious a structure disclosed in the instant specification as performing the function "moving said sample plate from a stacked relationship in a sample plate storage area to an application station and to a used sample plate storage area within said housing", or an equivalent thereof, in combination with the remaining limitations of the claim.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Surekha Vathyam whose telephone number is 571-272-2682. The examiner can normally be reached on 7:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam X. Nguyen can be reached on 571-272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SV  
April 18, 2007



NAM NGUYEN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1700